

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

15.33
510385

CACTI

and other
SUCCULENT SEEDS



LIBRARY
RECEIVED
JUN 12 1935 ★
Department of Agriculture

Due to many requests, seeds are quoted in smaller quantities than in prior lists. Most pkt. are 10c. The number of seeds in one pkt. varies accordingly to rarity & purchasing price. Due to cost of handling no pkt. is sold for less than 10c. All shipments amounting to a dollar or more post paid. Terms: Cash with order. - Prices on quantities on request.

HERMAN TOBUSCH
632 So. WISCONSIN AVE.
VILLA PARK, ILL., U. S. A.


RARITIES

The following varieties should be in every collection.

No.		Pkt. \$
1a	<i>Ariocarpus Kotschubeyanus</i>	.10
5a	" <i>strobiliformis</i>	.10
5b	" <i>trigonus</i>	.10
7	<i>Cephalocereus senilis</i> , (old man)	.10
8	" <i>Palmeri</i> , fast gr.	.10
8a	" <i>Royenii</i> , blue	.10
8b	" <i>phaeacanthus</i> , rare	.10
9	<i>Pilocereus erytrocephalus</i>	.10
10	<i>Astrophytum asterias</i>	.10
10c	" <i>capr.</i> x <i>aserias</i>	.10
10g	" <i>myriostigma coahuil.</i> x " <i>asterias</i>	.10
10h	" <i>asterias</i> x <i>myriost. coah.</i>	.10
10m	" <i>hybrides</i> x <i>hybrides</i>	.10

Astrophytum hybrides are very interesting, the No. 10m being hybr. in 2. generation.

11b	<i>Astrophytum capricorne</i>	.10
11c	" <i>capricorne minor</i>	.10
11d	" " <i>senile</i>	.10
11g	" " <i>niveum</i> , new ..	.10
12	" <i>myriostigma</i> , bishops cap, very popular	.10
12a	" <i>ornatum</i> , best of all	.10
12c	" <i>myriostigma</i> , 4 ribbed	.10
12d	" " <i>coahuilensis</i>	.10
12e	" " <i>tulensis</i> , spiral	.10
12f	" " <i>tamaulipensis</i> ..	.10
12h	" mixed all kinds	.10
13	<i>Obregonia Denegrii</i>	.10
13a	<i>Haagea Schwartzii</i>	.10
13b	<i>Leuchtenbergia principis</i>	.10
14a	<i>Peleciphora pectinata</i>	.10



Cephalocereus senilis seedlings
"Old man" seeds No. 7

CEREUS

Columnar, easily growing.

No.		Pkt. \$
15b	<i>adscendens</i> , (Harissia)10
15g	<i>azureus</i> , wonderful blue10
15k	<i>brachipetalus</i>10
16	<i>Bonplandii</i> , (Harissia)10
16a	<i>candicans</i> , trichocer. fine10
16b	<i>Bridgesii</i> , blue, good grow.....	.10
17	<i>chiloensis</i> , light green10
19	<i>Chiotilla</i>10
19c	<i>coquimbanus</i> , trichocer.10
20	<i>Coryne</i> , Stetsonia10
21	<i>Dumortieri</i> , Lemairocer.....	.10
21e	<i>decumbens</i> , showy seedlings10
21f	<i>deficiens</i> , Venezuela.....	.10
24	<i>Emorii</i> , Bergerocactus.....	.10
25c	<i>Faustianus</i>10
29	<i>geometrisans</i> , fine blue10
32	<i>Herreraanus</i> , rare10
33	<i>Herzogianus</i> , yellow sp.10
43	<i>grandiflorus</i> , queen of the night ..	.10
49	<i>Jamacaru</i> , easyely grow.10
51b	<i>Lauterbachii</i>10
51d	<i>macrogonus</i> , trichocer. fine10
51f	<i>litoralis</i> , Chile, rare10
52	<i>marginatus</i> , Lemairocer.10
54	<i>melanosteles</i> , Binghamia10
54a	<i>melanotrichus</i> , Corrycer.....	.10
56	<i>Martini</i> , Harissia10
58	<i>Pasacana</i> , Bolivia10
61c	<i>Pitahaya monstrosus</i>10
63	<i>pruinosus</i> , Lemairoc.10
63a	<i>pseudomelanosteles</i> var laredensis (Haageoc) rare20
63f	<i>Roezl</i> , very rare25
65	<i>Spachianus</i> , best for grafting10
69	<i>Straussii</i> , very fine10
70	<i>strigonus</i> , trichoc. large fl.10
71	<i>tephracanthus</i> (Erioc.)10
76	<i>pacalaensis</i> (Haageoc)25
80	<i>tortuosus</i> , Harissia10
84c	<i>Werdermannianus</i>10
85	Many kinds mixed10




"Damping off fungus"

Chinosol is the best remedy ever tried, harmless to smallest seedlings. Can be used to soak the seeds immediately before planting, as a spray and to cauterize wounds in plants.

2	0.5 g tablets	\$.10
6	0.5 g tablets	\$.25
30	0.5 g tablets	\$ 1.00





Cereus Straussii seeds No. 69

ECHINOCACTUS

In this group are included Oroya, Notocactus, Gymnocalycium, Ferocactus and others.

No.	Pkt. \$
88	apricus, Notoc. large fl. .10
89	aureispinus, new, fine .10
89b	aureicentrus, wonderful novelty, red fl. .25
90a	acutissimus, rarity, Chile .25
91a	Beguinii, Neolloydia .10
96b	" senilis .10
96	Bodenbenderianus, Gymnoc. .10
99	centeterius, Chile .10
100	concinus, free flowering .10
102	conothelos .10
103	cottonogonus, stenoc. .10
104	corniger, feroc. .10
105	chilensis, neopoteria .10
105b	chrysacanthion, fine .10
116	denudatus hybr. .25
118	electracanthus, fine seedl. .10
119a	Ehrenbergii, neolloydia .10
119e	Emoryi .10
120c	floricomus, Uruguay .10
123	gibbosus, Gymnoc. .10
127	Gielsdorfianus, rare .25
127c	gladiatus .10
129	Grossei, notocactus .10
130	Grusonii, golden ball .10
131	Graessnerii, Brasil .15
133	Haselbergii, notoc, fine .15

ECHINOCACTUS

No.	Pkt. \$
135	hexaedrophorus, large fl. .10
137	Hossei, very rare .20
138b	humilis, a pretty dwarf var. .10
141	Johnsonii .10
142	ingens, good growing .10
144b	Kurtzianus, Gymnoc. large fl. .10
144d	Knuthianus .10
146	Le Conte, feroc. .10
148	Lenninghausii, fine .10
148a	leptanthus, blooms the 2. year .10
149b	lophophoroides, new .25
149c	lophothele, free fl. .10
150	longihamatus .10
150c	loricatus .10
151	Maassii, fine, very rare .10
151b	mazanensis, Gymnoc. .10
153a	Mihanovichii, interesting .15
153b	microspermus .10
153e	" v. sanguiniflora .10
153f	minusculus, good growing .10
153h	Monvillei, Gymnoc. .10
154	multicostatus, stenoc. .10
154b	multiflorus, Gymnoc. .10
155	Mac Dowellii .10
156	Mathssonii, fine .10
157	Mostii, Gymnoc. .10
158	multiflorus v. hybopleura .10
159	nidulans, striking .10
159b	nivosus, close white sp. .10
159f	nigriareolatus, new, Gymnoc. .20
160	nigricans, neopoteria, rare .10
161	Ottonis, good gr. free fl. .10
161b	" v. braziliensis .15
162a	" v. tenuissima .10
163	pampeanus, good grow. .10
165	peruvianus, Oroya, rare .20
166	Pfeiferi, feroc. .10
167	pilosus, feroc. red spines .10
167b	Pflanzii, like Saglionis .10
169	phyllotrichos, very rare .10
170	platensis, Gymnoc. good gr. .10
172a	pumilis, Frailea .10
173	Quehlianus, Gymn. free fl. .10
174	recurvus, feroc. .10
174b	rhodantherus, Gymn. rare .25
175b	Rosasianus, a new stenoc. .10
176a	Saglionis, Gymn. fine .10
176b	Sandillon (Chile) .10
176c	Sauvieri, theloc. .10
176d	Saussirii, large violet fl. .10
177a	Scheerii, ancistroc. .10
178	Schickendantzii, colored sp. .10
178a	Schillinskianus, free bl. .10
178c	Schwebsianus, new .25
179	scopa ruberrima, notoc. fine .10
179a	Sellowii, fl. large yellow .10
179b	senilis, rare, with thin white bristles, fine .10



Write for "Cacti in the home." Guide to the indoor cultivation of cacti, 48 pages. A real useful book, 25 cents post paid.



ECHINOCACTUS

No.	Pkt. \$
180a setispinus, var. cachetianus.....	.10
181c Sutterianus, a fine Gymnoc.10
181e stellatus10
181f Stuckertii, free fl.10
181g Stuemerii, easy flowering.....	.10
182 submammulosus, well growing10
182a tabularis, easy gr. free fl.10
183 Soerensii, showy from Chile10
183b Straussianus, strong sp. fine10
184 texensis, homalocephala10
185 tulensis, theloc.10
190 Urselianus, fine.....	.15
193 Vorwerkianus, rare10
197 zacatecasensis, about 50 ripples.10
198 Many kinds mixed10

ECHINOCEREUS

most in clusters, pretty large flowers, most var. can be bought in fl. sizes for very little money. We list seeds only of some of the rarer ones.

212	Blanckii, genuine10
225	de Laetii, like an old man10
229	Fitchii, free fl. fine10
237b	pectinatus v. tamaulipensis10
238	pectinatus rigidiss.10
245	procumbens, large fl.10
251	tuberous, Wilcoxia15

ECHINOPSIS

sphaerical, large flowering easy to grow from seeds.

262	ancistrophora, rare15
263	aurea, lobivia, yell. fl.15
271b	caespitosa, lobivia25
274	cinnabarina, "15
277	famatimensis, genuine25
279a	Fiebrigii, large fl.25
280	ferox, strong sp. free fl.10
281	grandis, lobivia10
281a	Haageana, lobivia, fine novelty....	.25
281d	hamatacantha, small, giant fl.10
281f	Hertrichiana, lobivia, red fl.25
281g	Higginsiana, " fine20
282	Hossei, fl. orange with red20
282c	Huottii, very fine, rare10
284d	leucantha, large with fl10
284g	mistiensis, wonderful fl.25
288	Nealeana, Mila, new.....	.25
290a	obrepanda, giant fl. easy gr.20
293g	pseudocachensis, lobivia25
294	rhodacantha10
295a	Salmiana, Bridgesii, white fl.10
296	saltensis, lobivia, cluster10
299b	Silvestris, many coll. sp.10
300	spiniflora, rare, fragrant20
303	Spcgazzinii, good gr.10
304	tubiflora. large fl.10
311	violacea, new, blooming all summer long20
314	Zuckeriniana10
320	many kinds mixed10

REBUTIA

Small plants, like mamm. with many large fl. blooming when still very young.

No.	Pkt. \$
326	aureiflora, large yellow fl.
327	aurescens, new, rare
332	Fiebrigii, white sp. red fl. in great numbers, easy gr.
336	minuscula, see No. 153f
337	senilis, with long bristles
338	salmonea, salmon fl. good gr.
344	xanthocarpa, rare

MAMILLARIA

Fast growing, some blooming the second year.

350	Andreae, Coryphantha10
355	aureiceps, good growing10
356	aurihamata, golden hooked sp.10
358	asperispina, Coryphanta10
358b	Baumii, yellow fl.10
359	bella, Escobaria, rare15
360	Bocasana, very popular, white10
364	Brauneana10
365	candida, white, rose fl.10
367	camptotricha, peculiar plant10
369	Caretti10
369a	carnea, easy growing10
371	Celsiana, golden balls10
372	centrcirrha, red fl.10
378	chionocephala, fine10
384	cornifera, Coryphantha10
385	crassispina10
386	crucigera10
389	decipiens, easy gr.10
392	discolor, small10
393	Donatii, popular, easy to gr.10
394	dolichocentra10
394c	durispina, heavy spined10
395	echinoidea, large fl.10
396	elegans, white10
397	elephantidens, Coryph.10
398b	elongata var. stella aurata10
404	fuscata10
407	globosa, large yellow fl.10
411	Georgii, Coryph. new10
412	gladispina, profusely bl.10
413	Guelzowiana, red fl. white hair, very fine10
414	gummifera, new10
416	grandiflora, large fl.10
419a	Heeseana, red spines10
420	Hahniana, silky white hair10
421	Heyderi v. applanata10
422	hidalgensis, free fl.10
425	Karwinskiana, popular10
427	Kunthii, white10
428	Kunzeana10
429b	lanata, white ball10
432	lenta, very rare10
434	longimama, popular, large fl.10
435	" v. gigantothela10
437	longicoma, fine10

MAMILLARIA

No.		Pkt. \$
439	macrantha, large fl.	.10
440	macrothele	.10
442c	mazatlanensis, commendable	.10
445	Mendeliania	.10
446	Mac Dougalii	.10
447	melaleuca, many colored sp.	.10
454	microhelia	.10
455	microheliopsis	.10
457b	nivea, wonderful, white	.15
462	Muehlbaueriana	.10
463	Orcutti	.10
466	Palmeri, Coryph.	.10
468	pallida, "	.10
470	Parkinsonii	.10
472	perbella, fine	.10
472b	Pfeifferi, close yell. sp.	.10
473c	pilispina, young pl. free bl.	.10
474	plumosa, white feathery sp.	.10
475	Pringlei, golden bristles	.10
477	polythele, rare	.10
479c	Potosina, good gr.	.10
481	pseudo perbella, short white spines, seedlings fine	.10
481d	pubispina	.10
482	pussila crystata, seeds of crested pl.	.10
483	pygmaea	.10
487	radians	.10
489	raphidacantha	.10
493	Rettigiana, especially fine	.10
494	rhodantha	.10
496a	Runyonii, Coryph.	.25
497b	roseo alba, two colored sp.	.10
497d	Saffordii, very small pl. fl.	.10
498	Schiedana, yell. feath. sp.	.10
500	Seideliana	.10
501	Schmollii, white sp. & wool	.10
502	Schelhasei, free fl.	.10
505b	Scheidweileriana	.10
506	simplex, Venezuela	.10
507	sphaerica, espec. large fl.	.10
508	spinosissima	.10
514	Trohartii	.10
532	Viereckii, young pl. free fl.	.10
536	Werdermannii, peculiar	.10
537b	Wildiana, easy to grow	.10
538b	Zahniana	.10
539c	Zeilmanniana, young pl. free fl. wonderful spined	.10
542	many kinds mixed	.10


OPUNTIA

Only a few seeds of the better varieties are listed, other seeds on request.

564	aoracantha, long black spines, sphaerical	.10
583	diademata, var. calva, sphaerical, fine	.10
585	flocossa, germinat. poor	.10
591b	inamioena, rare	.10
608	ovata, dwarf	.10
608b	papyracantha, long paper sp.	.10
626e	vestita, much desired	.10
627	many kinds mixed	.10

PHYLLOCACTUS

No.		Pkt. \$
632	Ackermannii, red fl.	.10
646	anguliger	.10
660	giant fl. hybr. mixed	.10



Cereus sericatus seedlings
very fine, seeds No. 672

PILOCEREUS

This group contains the finest, columnar gr. cacti.

662	aceranthus, Haageocereus	.10
663	arabidae	.10
666b	Celsianus, white hair	.10
666c	Celsianus v. Bruennowii	.10
666f	catingicola, new	.10
667	chrysacanthus, golden yellow	.10
667b	chrysothele,	.10
668f	Dybowski, Cephalocer. from Brazil, espec. fine	.10
670b	fluniinense, Cephalocer.	.10
670d	fossulatus, red sp. hairy	.10
672	sericatus, silky white hair	.25
673	Gounelli, wonderful seedlings	.10
673c	hapalacanthus, new	.10
675f	leucosthele, rare	.15
676c	piauhiensis, new, blue	.10
676d	macrocephalus. Cephalocer.	.10
677e	setosus, a fine rarity	.15
677g	salvadorensis	.10
677h	sublanatus, wonderful, hairy	.10
679	Trollii, red and orange sp. long white hair	.10
680	many kinds mixed	.10

General mixture of all kinds:


684		.10
-----	--	-----

Seeds of other succulent plants:

No.		Pkt. \$
719	<i>Agave chrysacantha</i>20
723	" <i>Ferdinandis regis</i> , fine15
724	" <i>ferox</i>10
760	" <i>pickta</i> , yellow edges10
767	" <i>striata</i>10
768	" <i>stricta</i> , very showy10
781	" many kinds mixed10
812	<i>Aloe ferox</i> , heavy spined10
820	" <i>Hanburiana</i>10
821	" <i>hereroensis</i> , fine10
825	" <i>Marlothii</i>10
826	" <i>microstigma</i>10
835	" <i>peglerae</i> , small, rare10
845	" <i>rubrolutea</i> , beautiful10
866	" <i>variegata</i>10
874	" many kinds mixed10
883b	<i>Caralluma Leendertziae</i> , rare10
883f	" <i>N. E. Brownii</i> . fine.....	.10
884a	" <i>Burchardii</i> , rare25
887	<i>Cotyledon undulatum</i> , wonderful..	.10
887c	<i>Campylanthus salsolooides pen-</i> <i>dulina</i> , new, interesting10
887d	<i>Ceropegia fusca</i> , rare, peculiar25
889	<i>Crassula columnaris</i>10
889b	" <i>Comptonii</i> , new20
889c	" <i>cornuta</i>15
890	" <i>deceptrix</i> , small, white ..	.20
890a	" <i>deltoidea</i>10
891f	" <i>hemisphaerica</i>10
891h	" <i>obvallata</i>10
892a	" <i>pyramidalis</i>10
892b	" <i>perfoliata</i>10
899	<i>Duvalia polita</i> , red fl.15
901	<i>Echeveria agavoides</i>10
911	" <i>de Smetiana</i> , fine10
912	" <i>elegans</i>10
920	" <i>metallica</i>10
939	" <i>setosa</i>10
941	<i>Euphorbia aphylla</i>10
942	" <i>atropurpurea</i>10
943	" <i>balsamifera</i>10
946	" <i>canariensis</i>10
949	" <i>clava</i>40
950	" <i>handiensis</i> , two seeds....	.45
953	" <i>inermis</i>25
955	" <i>nivulia</i> , five seeds25
956	" <i>obesa</i> , two seeds30
963	" <i>regis Jubae</i>10
966	" <i>Royleana</i>20
1033	<i>Gasteria verrucosa</i>10
1042	" mixed10
1045	<i>Grenovia gracilis</i>10
1048	<i>Havorthia arachnoides</i>15
1068	" mixed10
1073	<i>Kalanchoe flammea</i>10
1074	" <i>globulifera coccinea</i>10
1100	<i>Kleinia neriifolia</i>10
1196	<i>Rochea falcata</i>10
1372	<i>stapelia flavirostria</i>25
1373	" <i>Gettleffii</i>25
1376	" <i>grandis</i>10
1390	" <i>Schinzii</i> , genuine25
1410	" <i>variegata</i>10
1415	" mixed10

Seeds of other succulent plants

No.		Pkt. \$
1420	<i>Tavaresia grandi fl.</i>20
1427	<i>Trichocaulon Dinteri</i>35
1429	" <i>keetmanshopensis</i>30
1431	<i>Umbilicus chrysanthus</i>10
1433	" <i>pendulinus</i>10
1435	" <i>spinosus</i>10



Echeveria agavoides
seeds No. 901



Indoor Hothouse

electrically heated with automatic regulation
8x16x10 inches high, with removable seed pan.

Seeds germinate quickly and grow fast.

Price complete \$ 10.00 not post paid.



Euphorbia obesa, very rare
seeds No. 956

Backeberg's:
"Bulletin of Cactus Research"

published in English, German, Dutch and French.

A wonderful illustr. magazine giving new and rare varieties
in flower and generally actual size.

12 month \$1.70 6 month 90 cents.


Mesembrianthemum

Easy to grow from seeds.

No.		Pkt.	\$
1547	<i>Argyroderma testiculare</i>	.10	
1553	<i>Carpobrotus aequilaterale</i>	.10	
1591	<i>Cheiridopsis cigarettifera</i>	.10	
1589	" <i>candidissima</i>	.15	
1594	" <i>Derenbergiana</i>	.10	
1600	" <i>Marlothii</i>	.10	
1602	" <i>peculiaris</i>	.10	
1606	" <i>Pillansii</i>	.25	
1609	" <i>vanzyliae</i>	.15	
1614	<i>Conophytum albescens</i>	.25	
1617	" <i>bilobum</i>	.30	
1618	" <i>calculus</i>	.20	
1640	" <i>Maughanii</i>	.15	
1660	" <i>obconellum</i>	.20	
1662b	" <i>Pearsonii</i>	.30	
1663	" <i>pictum, fine</i>	.35	
1664	" <i>Pillansii</i>	.30	
1668	" <i>Purpusii</i>	.35	
1690	" <i>van rhynsdorpense</i>	.15	
1690a	" <i>vanzyliae, rare</i>	.35	
1708	<i>Didymaotus lapidiformis</i>	.15	
1709	<i>Dinteranthus puberulus</i>	.10	
1711	" <i>microspermus</i>	.15	
1711b	" <i>Pole Evansii</i>	.20	
1747	<i>Faucaria albidens</i>	.20	
1748	" <i>Bosscheana</i>	.15	
1749	" <i>felina</i>	.20	
1750	" <i>Haagei, largest fl.</i>	.20	
1752	" <i>lupina, genuine</i>	.25	
1755	" <i>tigrina</i>	.15	
1765	<i>Fenestraria rhopalophylla</i>	.20	
1770	<i>Gibbaeum album</i>	.35	
1774b	" <i>perviride</i>	.20	
1816	<i>Lapidaria Margaretae</i>	.15	
1819	<i>Lithops Aucampii</i>	.15	
1820	" <i>bella</i>	.25	
1822	" <i>Comptonii, rare</i>	.25	
1824	" <i>farrinosa</i>	.25	
1825	" <i>Eberlanzii</i>	.25	
1825b	" <i>Erniana</i>	.25	
1826	" <i>Fulleri</i>	.15	
1826a	" <i>fulviceps</i>	.25	
1827	" <i>Franziscii</i>	.35	
1828	" <i>Framesii</i>	.25	

Mesembrianthemum

No.		Pkt. \$
1828b	<i>Lithops Herrei</i>	.40
1828d	" <i>Julii</i>	.20
1829	" <i>kuibisensis</i>	.25
1829a	" <i>kunjasensis</i>	.25
1830	" <i>Lesliei, good gr.</i>	.10
1831	" <i>karasmontana</i>	.15
1831a	" <i>lactea</i>	.20
1831b	" <i>lateritiae</i>	.25
1834	" <i>Lericheana</i>	.25
1835	" <i>Meyeri</i>	.25
1837	" <i>Lydiae, rare</i>	.35
1838	" <i>pseudotruncatella</i>	.10
1840	" var. <i>Mundtii</i>	.10
1842	" <i>Marthae</i>	.20
1846	" <i>mickbergensis</i>	.10
1858	" <i>opalina</i>	.20
1860	" <i>optica</i>	.10
1861	" <i>rugosa</i>	.25
1863	" <i>Peersii</i>	.20
1863b	" <i>Ruschiorum</i>	.25
1864	" <i>Schwantesii</i>	.35



Faucaria Haagei seeds No. 1750

Mesembrianthemum

No.		Pkt. \$
1865	<i>Lithops summittatum</i>20
1867	" <i>Triebneri</i>25
1868	" <i>turbiniformis</i>20
1869	" <i>umdausensis</i>35
1872	" <i>vallis Mariae</i>20
1873	" <i>vanzijlii</i>20
1875	" many kinds mixed15
1892b	<i>Mitrophyllum grande</i>15
1894	" <i>mitratum</i> , five seeds....	.35
1896	<i>Monilaria chrysoleuca</i>30
1896b	" <i>moniliforme</i>20
1912	<i>Ophtalmophyllum Friedrichae</i> ..	.15
1913	" <i>Herrei</i>15
1914	" <i>Schlechteri</i>20
1914a	" <i>Schuldtii</i>15
1914c	" <i>Triebneri</i>20

Mesembrianthemum

No.		Pkt. \$
1919	<i>Pleiospilos Archeri</i>20
1920	" <i>Bolusii</i> , genuine10
1926	" <i>longibracteatus</i> . 5 seeds	.50
1928	" <i>Nelii</i> , large fl.....	.40
1930	" <i>prismaticus</i>10
1931	" <i>Purpusii</i>15
1932	" <i>Roodiae</i>10
1936	" <i>simulans</i> , large fl.....	.10
1937	" <i>Willowmorensis</i>20
1947	<i>Rimaria Comptonii</i>35
1959	<i>Titanopsis astridea</i>40
1962	" <i>Hugonis Schlechteri</i>40
1964b	" <i>setifera</i>15
1965	" <i>Schwantesii</i>25
1969	" <i>Triebneri</i>20
1998	A fine mixture of the dwarfy kinds; <i>Argyroderma</i> , <i>Conophytum</i> , <i>Lithops</i> and <i>Pleiospilos</i>15
1999	many kinds mixed of all groups ..	.10

INSTRUCTIONS:

Sow into flat pots, as warm as possible, into a mixture of $\frac{1}{2}$ sand and $\frac{1}{2}$ leaf mold. Cover the seeds only slightly with earth. Cover pots with glass and keep them for the beginning equally wet. Place the first seedlings to come into another basin not quite so wet. Go on watering the seed basin, for remaining seeds will grow. Protect against direct sun rays with tissue paper.



Write for:

»Cacti in the home«

Guide to the indoor cultivation of cacti, 48 pages.

A real useful book, 25 cents post paid.

1346231

and other succulent seeds / Herman Tobusch.

Batch: NC_1935_T

